

## Product Description

What a super shelter this 18-ft. by 40-ft. canopy is, not only is size but in quality. Commercial grade 14-leg tent shelter is strong because of the sturdy beam welded 2-inch diameter steel frame which is tested to withstand rigorous weather conditions. The high-grade steel frame goes through 13-step Rhino Shield surface preparatory process. Powder-coating on the frame eliminates any rust, weathering, chipping and peeling for a long-lasting finish. Easy-slide clamps tighten to square up, smooth out, and lock down the shelter. The cover itself is a fitted one piece full-valance cover that is heat-bonded, triple layered, and made of polyethylene with enhanced weave. It is 100% waterproof and UV-treated inside and out with added fade blockers, anti-aging, anti-fungal agents.

### Ask a Canopy Specialist:



**EMAIL YOUR  
QUESTION**



**CALL US AT  
800-445-5611**

**\* Flame Certification:** This item is CPAI-84 Flame Certified.

## Features

- Sturdy beam welded 2" diameter steel frame is field tested to withstand all but the most rigorous weather conditions
- High grade steel frame goes through a 13 step Rhino Shield surface preparation process
- Bonded with DuPont™ thermoset baked on powder-coated finish to eliminate any rust, weathering, chipping and peeling
- Patented Twist-Tite™ technology tensioning system secures taut to pipes ensuring longer life and a wrinkle free look
- Easy-Slide Cross Rail™ system clamps tight to square up, smooth out, and lock down shelters
- Wide based foot pads on every leg ensure a dependable sturdy base and easy access to secure anchor points.
- Fitted one piece full valance cover
- Heat bonded, triple layer, polyethylene cover with enhanced weave to ensure its 100% waterproof
- UV treated inside and out with added fade blockers, anti-aging, anti-fungal agents
- Totally tear resistant reinforced rip-stop cover
- 10 year life expectancy

### Includes:

- 18' W x 40' L x 11' H steel frame
- Full valance fitted cover
- (40) SL Bungee cords
- (14) Foot plates
- Temporary spike anchors
- Easy step by step instructions

**Manufacturer:** ShelterLogic

**ShelterLogic Part Number:** 26764

**eCanopy Item Number:** STL-26764

## Product Details

**Manufacturer:** ShelterLogic  
**ShelterLogic Part Number:** 26764  
**eCanopy Item Number:** STL-26764

Share This Item With Friends:



### Features

- Sturdy beam welded 2" diameter steel frame is field tested to withstand all but the most rigorous weather conditions
- High grade steel frame goes through a 13 step Rhino Shield surface preparation process
- Bonded with DuPont™ thermoset baked on powder-coated finish to eliminate any rust, weathering, chipping and peeling
- Patented Twist-Tite™ technology tensioning system secures taut to pipes ensuring longer life and a wrinkle free look
- Easy-Slide Cross Rail™ system clamps tight to square up, smooth out, and lock down shelters
- Wide based foot pads on every leg ensure a dependable sturdy base and easy access to secure anchor points.
- Fitted one piece full valance cover
- Heat bonded, triple layer, polyethylene cover with enhanced weave to ensure its 100% waterproof
- UV treated inside and out with added fade blockers, anti-aging, anti-fungal agents
- Totally tear resistant reinforced rip-stop cover
- 10 year life expectancy

### Includes:

- 18' W x 40' L x 11' H steel frame
- Full valance fitted cover
- (40) SL Bungee cords
- (14) Foot plates
- Temporary spike anchors
- Easy step by step instructions





11450 Stephens Rd. Warren MI, USA

Call Us : 800-682-7446 Fax : 586-427-0076



Search...


[My Account](#) [Log In](#) [Distributors](#) [Checkout](#) [My Cart](#)

[HOME](#) [ABOUT](#) [CONTACTS](#) [WHAT'S NEW](#) [WASH PACKAGES](#) [MARKETING TIPS](#) [SUCCESS STORIES](#) [RESOURCES](#) [QUICK LUBE](#)

[Home](#) » [Canopies](#) » [Curved Car Wash Pay Station Canopy](#)



Images



## Curved Car Wash Pay Station Canopy

**\$3,495.00**

- Sleek and modern Design that will help improve your car wash image
- Protects your expensive and sensitive electronics
- Each unit comes with a clearance bar, a custom cut message that is mounted to the top of the canopy and a light fixture
- The post will be wrapped with your choice of baked enamel colored aluminum
- The canopy structure is capable of withstanding forces generated by winds in excess of 90MPH.

**SPECIFICATIONS**

**RESOURCES**

## ADDITIONAL INFORMATION


Construction	Top is heavy duty aluminum tubing 2" x 4" x .250" wrapped with baked enamel aluminum. Post is heavy steel 6" x 6" x .250"
Dimensions	Click on image to the left
Voltage/ Amperage	120VAC / 0.5 amp
Illumination	40 Watt Waterproof LED Tube Light
Mounting	See schematic under resource tab











# SITE PLAN

1" = 20'-0"

SELDOM SEEN ROAD

