### 176 & 178 W. OLENTANGY STREET

# Final Development Plan Submittal Powell, Ohio

June 28, 2016







Landscape Architecture





# transFORM

#### **Table of Contents**



Planning Urban Design Landscape Architecture





**Application** 

Legal Description (C-0)

Surrounding Property Owners

Development Plan Text

Shared Parking Agreement (Draft)

Plans:

L1.1	Final Development Plan
L2.1 - 2.3	Landscape Plans
L3.1	Illustrative Site Plan
L4.0 – 4.1	Site & Landscape Details
A1.1 – A3.3	Architectural Plans & Elevations for Building "A"
B1.1 – B3.2	Architectural Plans & Elevations for Building "B"
	Exterior Design Selections
	Exterior Signage Criteria
C-3 – C-6	Existing Conditions & Demolition Plan, Site Dimension Plan, Concept Utility Plan & Concept Grading Plan
ES1.2	Lighting Photometric Plan

n

### CITY OF POWELL

# PLANNING AND ZONING COMMISSION (P&Z) FINAL DEVELOPMENT PLAN APPLICATION



ALL ITEMS ON THIS APPLICATION MUST BE COMPLETED.

Application Fee: \$600.00 + \$90.00 per acre

Applicant: Transform Construction, LLC (Joshua Weir)	
Address/City/State/Zip: 1171 Chesapeake Avenue, Columbus, OH 432	212
Email Address: joshua@transformgc.com	
Phone No: 614.291.7799 Cell Phone No: 614.565.8888	Fax No: 614.754.5065
Property Owner: Traditions at Powell, LLC	
Address/City/State/Zip: 470 Olde Worthington Road, Suite 101, Wester	ville, OH 43082
Email Address:	
Phone No: 614.540.2400 Cell Phone No:	Fax No:
Architect/Designer for Applicant: See attached	
Address/City/State/Zip:	
Email Address:	
Phone No: Cell Phone No:	Fax No:
Property Address: 176 & 178 West Olentangy Street, Powell, OH 4306	55
Lot Number/Subdivision: Subarea B Existing Use: Vacant (DB)	Proposed Use: Mixed Use (DB)
Reason for Administrative Review (attach necessary documents): Propos with an approximate 4,000 sq.ft. restaurant and attached approximate 1,250 sq.ft. patio; and approximate 4,800 sq.ft.	ed mixed-use commercial development
Checklist:	
Preliminary Plan requirements set forth in Section 1143.11(c) and Final Plan r	equirements set forth in Section <u>1143.11(i)</u> .
Provide any other information that may useful to the Planning and Zoning below or attach additional pages.	Commission or City Staff in the space
☑ 15 copies of all drawings, text, any other items, and application.	
☑ Provide a PDF copy of all plans, drawings, text, any other items, and appli	ication on a CD.
☑ Attach the required fee - \$600.00 + \$90.00 per acre.	


# APPROVAL SHALL EXPIRE AND MAY BE REVOKED IF CONSTRUCTION DOES NOT BEGIN WITHIN TWO (2) YEARS FROM THE DATE OF ISSUANCE OF APPROVAL.

	ission, Board or Council considering this application access to the rion for the purposes of reviewing this application and posting publication this application.  Date:
Office Use	Office Use  AMT  TYPE/DATE  RECEPIT #
Received	PAYORPayment

City of Powell · 47 Hall Street · Powell, Ohio 43065 · (614) 885-5380 · (614) 885-5339 fax · www.cityofpowell.us

S:\Coffey 3172 West Olentangy Street (176-178)\dwg\3172 Coffey 176 W Olentangy Survey 3.dwg 6/24/2016 12:06 PM

These drawings are instruments of professional service by Sands Decker CPS, LLC for the designated project.



LEGAL DESCRIPTION FROM TITLE COMMITMENT 2016014-VC:

SITUATED IN THE STATE OF OHIO, COUNTY OF DELAWARE, CITY OF POWELL, BEING IN FARM LOT 31, SECTION 4, TOWNSHIP 3, RANGE 19, UNITED STATES MILITARY LANDS, CONTAINING 0.999 ACRE OF LAND, MORE OR LESS, SAID 0.999 ACRE BEING OUT OF THAT 5.942 ACRE TRACT OF LAND DESCRIBED IN THE DEED TO TRADITIONS AT POWELL, LLC, OF RECORD IN OFFICIAL RECORD 587, PAGE 1188 AND IN OFFICIAL RECORD 587, PAGE 1191, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO, SAID 0.999 ACRE BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING, FOR REFERENCE, AT A RAILROAD SPIKE FOUND AT THE CENTERLINE INTERSECTION OF WEST OLENTANGY STREET (60 FEET IN WIDTH), ALSO CALLED STATE ROUTE 750 AND SAWMILL ROAD (80 FEET IN WIDTH), SAID POINT ALSO BEING THE SOUTHWESTERLY CORNER OF FARM LOT 31 IN THE WEST LINE OF SECTION 4; THENCE S87°18'05"E, WITH THE CENTERLINE OF THAT WEST OLENTANGY STREET AND WITH THE SOUTHERLY LINE OF THAT 3.659 ACRE OF LAND DESCRIBED IN THE DEED TO VICTORIAN COMMUNITY DEVELOPERS, OF RECORD IN OFFICIAL RECORD VOLUME 7, PAGE 2558, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO, A DISTANCE OF 1848.03 FEET TO A RAILROAD SPIKE FOUND AT THE SOUTHEASTERLY CORNER OF SAID 3.659 ACRE TRACT, THE SAME BEING THE SOUTHWESTERLY CORNER OF SAID 5.942 ACRE TRACT; THENCE NO3°05'04"E, WITH THE EASTERLY LINE OF SAID 3.659 ACRE TRACT AND WITH THE WESTERLY LINE OF SAID 5.942 ACRE TRACT, A DISTANCE OF 190.28 FEET TO 3/4-INCH (I.D.) IRON PIPE SET AT THE TRUE POINT OF BEGINNING;

THENCE, FROM SAID TRUE POINT OF BEGINNING, NO3°05'04"E, WITH THE EASTERLY LINE OF SAID 3.659 ACRE TRACT AND WITH THE WESTERLY LINE OF SAID 5.942 ACRE TRACT, A DISTANCE OF 63.00 FEET TO A 3/4-INCH (I.D.) IRON PIPE SET; THENCE S86°54'55"E, A DISTANCE OF 294.50 FEET TO 3/4-INCH (I.D.) IRON PIPE SET IN THE WESTERLY LINE OF THAT 2 300 ACRE TRACT OF

IRON PIPE SET IN THE WESTERLY LINE OF THAT 2.300 ACRE TRACT OF LAND DESCRIBED IN THE DEED TO ANGELO AND CAROL CORDI AND ANTHONY AND DONNA CORDI, OF RECORD IN DEED BOOK VOLUME 560, PAGE 343, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO, THE SAME BEING IN THE EASTERLY LINE OF SAID 5.942 ACRE TRACT; THENCE SO3°05'04"W, WITH THE EASTERLY LINE OF SAID 2.300 ACRE TRACT, A DISTANCE OF 221.29 FEET TO 3/4-INCH (I.D.) IRON PIPE FOUND IN THE NORTHERLY RIGHT-OF-WAY OF SAID WEST OLENTANGY STREET; THENCE N87°18'05"W, WITH THE NORTHERLY RIGHT-OF-WAY OF SAID WEST OLENTANGY STREET, A DISTANCE OF 157.27 FEET TO 3/4-INCH (I.D.) IRON PIPE SET; THENCE N03°05'04"E A DISTANCE OF 159.35 FEET TO 3/4-INCH (I.D.)

THENCE NO3°05'04"E, A DISTANCE OF 159.35 FEET TO 3/4-INCH (I.D) IRON PIPE SET; THENCE N86°54'55"W, A DISTANCE OF 137.23 FEET TO THE TRUE

THENCE N86°54'55"W, A DISTANCE OF 137.23 FEET TO THE TRUE POINT OF BEGINNING AND CONTAINING 0.999 ACRE OF LAND, MORE OR LESS.

TOGETHER WITH ALL EASEMENTS AS SET FORTH IN "DECLARATION OF INGREEE-EGRESS EASEMENTS, AND PROVISION FOR THE GENERAL MAINTENANCE OF COMMON AREAS, STREETS, AND UTILITY SERVICES", OF RECORD IN OFFICIAL RECORDS VOLUME 620, PAGE 234 AND ALL EASEMENTS AS SET FORTH IN "FIRST AMENDMENT TO THE DECLARATION OF INGRESS-EGRESS EASEMENTS, AND PROVISION FOR THE GENERAL MAINTENANCE OF COMMON AREA, STREETS, AND UTILITY SERVICES BY TRADITIONS AT POWELL LLC", OF RECORD IN OFFICIAL RECORDS VOLUME 635, PAGE 587, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO.

TOGETHER WITH NON-EXCLUSIVE SIDEWALK EASEMENTS AS SET FORTH IN "DECLARATION OF SIDEWALK MAINTANCE AND EASEMENTS", OF RECORD IN OFFICIAL RECORDS VOLUME 635, PAGE 599, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO.

TOGETHER WITH EASEMENT FOR THE PURPOSE OF CONSTRUCTING, OPERATING, MAINTAINING, RENEWING, RECONSTRUCTING AND/OR REPLACING A SANITARY SEWER LINE TOGETHER WITH APPURTENANTS THERETO, TOGETHER WITH THE RIGHT OF ACCESS TO SAID EASEMENT AREA, OF RECORD IN OFFICIAL RECORDS VOLUME 587, PAGE 411, RECORDER'S OFFICE, DELAWARE COUNTY, OHIO.

CERTIFICATION:

TO:

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2016 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2, 3, 4, 6(A), 8, 9, 10, 11, 13, 14, 16, 17 AND 19 OF TABLE A THEREOF. THE FIELDWORK WAS COMPLETED ON MARCH 10, 2016.

SANDS DECKER CPS

STEVEN W. NEWELL
OHIO REGISTERED SURVEYOR NO. 7212

DATE

COFFEY ARCHITEC

THOMAS M. C.
365 SHALE RIDGE OF POWELL, OHIO 4306

COFFEY
ARCHITECTURE
& DESIGN, LLC

CUMBUS, OH 43220 -459-6992 K: 614-459-6987 CL FREE: 866-277-0600



NIANGY SI. FROJEC 3 M. Olentangy Street 3H. 43065

TOPOGRAPHIC SURVEY: 4/08/16

ALTA SURVEY: 6/04/16

REVIEW SET: 6/17/16

P & Z FINAL SUBMITTAL: 6/28/16

BUDGET PRICING:

PERMIT REVIEW: 6/28/16

BIDDING:

 $\bigcirc$   $\longleftrightarrow$   $\bar{\emptyset}$ 

200

REVISIONS:

CONSTRUCTION:

ALTA SURVEY JOB # 0516

VINCENT MARGELLO	10 VILLAGE POINTE LLC	VILLAGE LLC
330 OLENTANGY ST	10 VILLAGE POINTE DR	218 OLENTANGY ST
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
PORTSIDE DEVELOPMENT LLC	TRADITIONS AT POWELL	TERRI KING
180 OLENTANGY ST	176 OLENTANGY ST	39 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
MAI THI FRASCARELLI	MAI THI FRASCARELLI	JODEE SNIDER
41 TRADITIONS WAY	43 TRADITIONS WAY	45 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
ROBERT & NANCY PARKER	STEPHANIE & SHALEEN DESAI	EEE INVESTMENTS LLC
50 TRADITIONS WAY	52 TRADITIONS WAY	54 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
EEE INVESTMENTS LLC	MATHEW FARRIS	VICTORIA DAMIANI
56 TRADITIONS WAY	53 TRADITIONS WAY	55 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
MELISSA RUFFNER	DAVID LAMP	PATRICIA KONIS
57 TRADITIONS WAY	59 TRADITIONS WAY	65 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
SCHNETZLER LIMITED PARTNERSHIP 67 TRADITIONS WAY POWELL OH 43065	BRIAN & ASHLEY CALABRO 69 TRADITIONS WAY POWELL OH 43065	MARC AUGUSTINE 71 TRADITIONS WAY POWELL OH 43065
KELLIE KO	JAMES REED	THOMAS & MARY CANTWELL
68 TRADITIONS WAY	70 TRADITIONS WAY	72 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065
JAMES BOSKER 74 TRADITIONS WAY POWELL OH 43065	MATTHEW SMITH 79 TRADITIONS WAY POWELL OH 43065	VICKI VOLPE 81 TRADITIONS WAY POWELL OH 43065
ELIZABEHT WARD	DENIS & KATHRYN LAVOIE	SHKOUKANI HASHEM LLC
83 TRADITIONS WAY	85 TRADITIONS WAY	86 TRADITIONS WAY
POWELL OH 43065	POWELL OH 43065	POWELL OH 43065

WHITNEY HAMILTON FRANK & MARJA LEMAY MLS9 INVESTMENTS LLC **84 TRADITIONS WAY 82 TRADITIONS WAY 80 TRADITIONS WAY** POWELL OH 43065 POWELL OH 43065 POWELL OH 43065 JACKIE DICKENS JESSICA SPELLMAN **DORSEY JANE SMITH** 183 CASE AVE 185 CASE AVE 187 CASE AVE POWELL OH 43065 POWELL OH 43065 POWELL OH 43065 VICKIE GREENE 75 LINCOLN LLC **DONNA & ANTHONY CORID** 189 CASE AVE 75 LINCOLN ST 12949 GORSUCH ROAD POWELL OH 43065 POWELL OH 43065 GALENA, OH 43021 STOVAR-NEVITT PARTNERS STOVAR-NEVITT PARTNERS PATRICK & ANTONIA CARTER **INC INC** 173 OLENTANGY ST 187 OLENTANGY ST 195 OLENTANGY ST POWELL OH 43065 POWELL OH 43065 POWELL OH 43065 PATRICK WALLACE & HAILEY **CURTISS & JOYCE PETREK** JAMES & JUDITH MUIR **JONES** 37 MURPHY'S VIEW PL 42 MURPHY'S VIEW PL 31 MURPHY'S VIEW PL POWELL OH 43065 POWELL OH 43065 POWELL OH 43065 **RODNEY & KATHLEEN** MAURICE & MARCI REIMUND CHRISTOPHER DAPOLITO **VALENTA** 48 MURPHY'S VIEW PL 18 MURPHY'S VIEW PL 12 MURPHY'S VIEW PL POWELL OH 43065 POWELL OH 43065 POWELL OH 43065 **DONALD & FRANCES** DONALD & CHRISTINE DIANE ANDREWS **HAFTMAN ELDREDGE** 24 MURPHY'S VIEW PL 11 MURPHY'S VIEW PL 19 MURPHY'S VIEW PL

POWELL OH 43065

JUDYTH LEDOUX 27 MURPHY'S VIEW PL POWELL OH 43065

ROBERT RINDOS 35 MURPHY'S VIEW PL POWELL OH 43065

POWELL OH 43065

POWELL OH 43065




# Final Planned District Development Plan Application Requirements and Procedures for Approval

1143.11 Procedures for Approval of Planned District Development Plans



Planning Urban Design Landscape Architecture





(c) Preliminary Planned District Development Plan Application Requirements.

An application for preliminary Planned District Development Plan approval shall be filed with the Zoning Administrator by the owner of the property for which a planned District development is proposed. At a minimum, the application shall contain the following information, which shall be filed in fifteen (15) copies. Where any of this information is missing or incomplete, the Zoning Administrator shall so notify the applicant and no additional actions need be taken until such missing material is provided.

(i) Final Development Plan Application Contents.

An application for approval of the final development plan shall be filed with the Zoning Administrator by the owner of the property for which planned district development is proposed. Each application shall be signed by the owner, attesting to the truth and exactness of all information supplied on the application for the final development plan. Each application shall clearly state that the approval shall expire and may be revoked if construction on the project has not begun within two (2) years from the date of issuance of the approval.

(1) Name, address, and phone number of applicant

Transform Construction LLC, 1171 Chesapeake Avenue, Columbus, OH 43212; Joshua Weir, 614.291.7799


(2) Name, address, and phone number of registered surveyor, registered engineer and/or urban planner assisting in the preparation of the preliminary development plan

Planning/Landscape Architecture
POD Design
Todd Foley, Principal
100 Northwoods Blvd, Suite A
Columbus, OH 43235
614.360.3055

Architecture
Thomas Coffey Architect
Thomas Coffey, AIA







ARCHITECTURE & DESIGN, LLC



365 Shale Ridge Court Powell, OH 43065 614.562.2273

Civil Engineering
Sands Decker CPS
Jason Stevens, Project Manager
1495 Old Henderson Road
Columbus, OH 43220
614.459.6992

(3) A list containing the names and mailing addresses of all owners of property contiguous to, directly across the street from and within 250 feet of the property in question

See attached list of property owners

(4) Legal description of the property

See attached legal description (C-0)

(5) A description of present use(s) on and of the land

Property is currently vacant undeveloped land. Access drive exists on site to service adjacent office building.

(6) Draft of a proposed Ordinance, prepared with the advice and counsel of the Director of Law, establishing this specific Development Plan as an additional effective zoning control over the land in questions, consistent with the continuing authorities of the current Planned District zoning in these areas provided for elsewhere in this Zoning Ordinance

To be submitted by the City of Powell staff.

(7) A vicinity map at a scale approved by the Zoning Inspector showing all property lines, existing streets and alleys, approved future streets and land uses on adjacent Planned District areas, transportation and land use elements of the Municipality's adopted Comprehensive Plan, current zoning classifications and boundaries, and current land uses on the site of the proposed Planned District development and in the surrounding areas to the physical extent deemed necessary by the Zoning Inspector, but no less than 250 feet beyond the limits of the proposed Planned District Development Plan









#### See L1.1 Final Development Plan

- (8) A preliminary development plan at a scale approved by the Zoning Administrator illustrating:
  - A. The property line definition and dimensions of the perimeter of the site
    - See L1.1 Final Development Plan, C-3 Existing Conditions & Demolition Plan & C-4 Site Dimension Plan
  - B. Rights-of-ways and paving widths of all existing, currently platted, and previously approved Planned District streets and alleys adjacent to, on, or abutting the site

See L1.1 Final Development Plan, C-3 Existing Conditions & Demolition Plan & C-4 Site Dimension Plan

C. The area of the site and its subareas in acres

The site area is one (1) acre. There are no subareas.

D. The topography of the site and abutting areas at no more than five (5) foot contour intervals

See C-3 Existing Conditions & Demolition Plan & C-6 Conceptual Grading Plan

E. Existing surface drainageways and surface sheet flow patterns

See C-3 Existing Conditions & Demolition Plan

F. Flood plain areas, ravine-bottom areas, and areas of ground slope in excess of six (6) percent


See C-3 Existing Conditions & Demolition Plan

G.Existing vegetation on the site with specific tree spots for all trees six (6) inches in diameter or greater, measure twenty-four (24) inches from the ground

See C-3 Existing Conditions Existing Conditions & Demolition Plan & L2.3 Tree Removal/Preservation Plan









H. Existing easements on the site with notations as to their type, extent, and nature

See C-0 Legal Description & C-3 Existing Conditions & Demolition Plan, C-4 Site Dimension Plan & C-5 Utility Plan

 The location and dimensions of existing utilities on and adjacent to the site, including the nearest sanitary sewer, with manhole invert elevations

See C-3 Existing Conditions & Demolition Plan, C-4 Site Dimension Plan & C-5 Utility Plan

J. Calculation of the maximum residential units permitted on the site under the terms of the this Zoning Ordinance, including delineation of the subdistricts of the site upon which these calculations have been made

N/A – No residential units are proposed for this development.

- K. A preliminary plan for the first or next phase of development illustrating:
  - 1. New street centerlines, right-of-ways, and street classification types

See L1.1 Final Development Plan & C-4 Site Dimension Plan

2. Names of existing and proposed streets

See L1.1 Final Development Plan & C-4 Site Dimension Plan

3. Generalized lot and block layouts, indicating and illustrating property lines, minimum lot areas, minimum building setbacks and yards, location and extent of major off street parking areas, etc.

See L1.1 Final Development Plan & C-4 Site Dimension Plan

4. Subareas of the site to be developed, by land use type, housing types, and housing densities including subarea statistics









N/A – No Subareas are planned for this development.

5. All proposed structures shall be located showing square footage, tenant or user types, and expected entranceways and service or loading areas

See L1.1 Final Development Plan, A1.1- A3.3 & B1.1- B3.2 Architectural Plans & C-4 Site Dimension Plan

6. Common open areas, public lands, and natural scenic easements, including the area of each

See L1.1 Final Development Plan

7. Proposed landscape treatment of the site

See L2.1-L2.3 Landscape Plans, L4.0-L4.1 Site & Landscape Details

8. Proposed utility patterns and provisions, including sanitary sewer, individual waste disposal systems, storm sewer, trash collection systems, outdoor lighting, and water supply, including relevant easements and engineering feasibility studies or other evidences of reasonableness

See C-5 Utility Plan

9. Provisions for accommodating surface drainage runoff

See C-5 Utility Plan & C-6 Conceptual Grading Plan

10. Proposed architectural design criteria

See A1.1- A3.3 & B1.1- B3.2 Architectural Plans & Exterior Design Standards

11. Proposed pedestrian/jogging/bicycle pathways and equestrian paths, including locations, dimensions, landscape and construction, including relationships of such pathways to existing and proposed future pathways on surrounding property

See L1.1 Final Development Plan







ARCHITECTURE & DESIGN, LLC



12. Overall site development statistics comparing this plan for development with requirements of this Zoning Ordinance and with the comprehensive plan and indicating that all requirements of this Zoning Ordinance and the comprehensive plan have been met in this preliminary plan and will be met in final development

This application is in conformance with the principals of the comprehensive plan (Mixed Use Village Center) and the visioning for the type of development that was intended for the subject site. The plans also incorporate feedback from both city staff and the Planning Commission from Sketch Plan Review as well as from the approved Preliminary Development Plan application.

L. Projected development schedule by subareas of the entire planned development site, and for the first, or next phase of development, including land uses, public areas, natural and scenic reserves, streets, buildings, utilities, and other facilities, indicating the relationship of the proposed development to existing and probable uses of surrounding areas during the development timetable

Pending approval with City of Powell, construction would begin September 2016 with anticipated completion being March 2017. Both buildings would be constructed simultaneously.


M. An overall traffic scheme, illustrating points of access, parking areas, including the number of parking spaces and indicating visitor, employee and service traffic flow, illustrating calculated peak hour traffic use for residents and employees as well as deliveries and other transport and the effect of this traffic on the community traffic ways

A traffic study for the subject site and adjacent office building as well as the Traditions at Powell was submitted with the original Rezoning/FDP in 2008. The required improvements to W. Olentangy Street were completed at the time of the construction of the Traditions at Powell. No further required improvements have been identified at this time or are anticipated.

N. If to be developed in phases, the entire site development shall be described in outline and diagrammatic plan form, and in a









complementing detailed text in a manner calculate to assure City officials that Planned Development requirements and other requirements of this Zoning Ordinance shall be met in the detailed development of the phases to follow, and that the entire Planned Development area will meet all of the requirements of this Zoning Ordinance, such diagrams and descriptive texts being accepted with, and becoming a part of the extended zoning plan for the entire site

Development is not anticipated to be developed in Phases.

(9) Evidences of the ability of the applicant to carry forth its plan by control of the land and the engineering feasibility of the plan, and that the applicant has sufficient control over the land and financing to initiate the proposed development plan phase within two (2) years

The developer has secured private funding source to implement its plans and has the financial means to purchase and subsequently construct the two proposed buildings and associated site details. The subject property is under contract contingent upon zoning approval. Pending approval from the City of Powell, the developer will formally purchase the property and continue with the necessary approvals/permits.

(10) Evidence of the applicant's ability to post a bond if the plan is approved assuring completion of public service facilities to be constructed within the project area ty the developer

The developer has secured private funding source to implement its plans and has the financial means to purchase and subsequently construct the two proposed buildings and associated site details.

(11) Verification by the owner of the property that all the information in the application is true and correct to the best of his knowledge

The applicant confirms that all the information provided in this true and correct to the best of their knowledge.

(12) A statement of the character and nature of the development including the cost range of rent levels for housing in residential development and the general types of business or industrial and commercial developments









The proposed commercial uses for the two buildings will be in conformance with those permitted under the Downtown Business District Standards. Anticipated users will be a restaurant and a mix of general retail.

(13) A statement of the general impact the development will have on the infrastructure, municipality and schools including projected demographics, a traffic impact study and a fiscal impact analysis may be required by the Planning and Zoning Commission

The uses proposed will not impact the schools in the Powell area given no residential uses proposed. The necessary traffic related infrastructure improvements have already been performed so no additional impact will result from the construction of this development.

(14) A fee as established by ordinance

A fee of \$690.00 has been submitted with this application for Final Development Plan Approval.

# EASEMENT(S) FOR PARKING AND USE OF DUMPSTER POWELL NEW DEVELOPMENT OHIO, LLC

This Agreement made this	day of	, 2016 by and bety	veen POWELL NEW
DEVELOPMENT OHIO, LLC, an	Ohio limited	liability company ("New	v Development") and
PORTSIDE DEVELOPMENT, LLO	C, an Ohio Lin	nited Liability Company (	"Portside").

#### **BACKGROUND INFORMATION**

New Development is the owner of certain property situated in the State of Ohio, County of Delaware, City of Powell and more particularly described on Exhibit "A" shown on Exhibit "C".

Portside is the owner of certain property situated in the City of Powell, County of Delaware, State of Ohio as described on Exhibit "B" and shown on Exhibit "C".

The properties described in Exhibit "A" and Exhibit "B" are contiguous and New Development and Portside are desirous of setting forth certain easements for ingress, egress, parking and trash removal in accordance with the terms and conditions as set forth herein.

THEREFORE, FOR GOOD AND VALUABLE CONSIDERATION, the parties hereby agree to the following:

#### STATEMENT OF AGREEMENT

The aforesaid Background Information is incorporated herein.

The New Development hereby grants to Portside a perpetual, non-exclusive over, on and through the property described in Exhibit "B" for vehicular and pedestrian ingress and egress.

Portside hereby grants to New Development a perpetual, non-exclusive easement over, on, through and under the property described in Exhibit "A" for vehicular and pedestrian ingress and egress. Portside further grants to New Development a perpetual non-exclusive easement for the use of six (6) parking spaces for the New Development patrons to use after 6:00 P.M. New Development shall place signage on the six (6) spaces specifically setting forth only after 6:00 P.M.

New Development grants to Portside a non-exclusive easement for access to and use of the dumpster shown on Exhibit C. The parties agree to share the cost of the dumpster based on percentages agreed upon between the parties.

The term "Common Area" shall mean the portion of the property described in Exhibit "A" or "B" which is used to provide vehicular access to ingress, egress to streets, highways and alleys adjacent to or abutting the property and the sidewalks and walkways located on the property as well as such portions of the property and the sidewalks and walkways located on the property. Both parties reserve the right to change or modify their respective common areas at their respective


individual expense, provided said change or modification does not materially interfere with the rights granted in this Agreement.

In the event of failure of any owner of the property described in Exhibit "A" or "B" to timely pay any costs or expenses it's obligated to pay hereunder, the delinquent amount shall constitute a lien on its property and shall accrue interest at the rate of eighteen percent (18%) per annum until paid. Any such lien shall be evidenced by the recording of a notice of lien or other affidavit with the Recorder of Delaware County, Ohio containing the legal description of the property and the date in which said amounts were due and payable. This lien shall encumber the property owner's entire interest in the property in favor of the affected owner and may be enforceable in the same manner as a mortgage with all the rights and remedies by the laws of the State of Ohio to secured creditors in such proceedings.

The easements and rights herein shall be deemed covenant running with the land and shall inure to the benefit of and be binding upon the parties, their successors and assigns.

IN WITNESS WHEREOF, the page 20, 20	arties have set their hand as of this day of
	POWELL NEW DEVELOPMENT OHIO LLC
	BySimon S. Saberi, Managing Member
	PORTSIDE DEVELOPMENT, LLC
	By


COUNTY OF DELAWARE ) SS:
Before me, a Notary Public in and for said county, personally appeared the above Simor S. Saberi, as managing member of Powell New Development Ohio, LLC, an Ohio limited liability company, who acknowledged the execution of the foregoing instrument to be his free and voluntary act and deed on behalf of the limited liability company and for the uses and purposes therein mentioned.
IN TESIMONY WHEREOF, I have hereunto affixed my hand and official seal a Columbus, Ohio this day of
Notary Public
STATE OF OHIO ) COUNTY OF ) SS:
Before me, a Notary Public in and for said county, personally appeared the above named, as member of the Portside Development, LLC, who acknowledged the execution of the foregoing instrument to be his free and voluntary act and deed on behalf of the corporation and for the uses and purposes therein mentioned.
IN TESIMONY WHEREOF, I have hereunto affixed my hand and official seal a Columbus, Ohio this day of, 20
Notary Public



■ TOPOGRAPHIC SURVEY: 4/08/16
 ■ PRELIMINARY: 4/20/16
 ■ P & Z SUBMITTAL: 4/26/16


CLIENT APPROVAL: BUDGET PRICING : PERMIT REVIEW:
BIDDING:
CONSTRUCTION:


REVISIONS:



MALL TYPE DETAILS SCALE: 3/4" = 1'-0"







# W C K S IO 

PROGRESS SET: REVIEW 85%: P&Z FINAL SUBMITTAL: 6/28/16 BUDGET PRICING : PERMIT REVIEW:

BIDDING: CONSTRUCTION:

REVISIONS:

BUILDING A


### GENERAL ROOF NOTES:

- 1. OUTLINE OF EXTERIOR WALLS ARE SHOWN DASHED.
- 2. <u>SHINGLES.</u> 240 LB. 40-YEAR DIMENSIONAL, FIBERGLASS ASPHALT, CLASS 'A' FIRE-RATED, ARCHITECTURAL GRADE ROOF SHINGLES W/ MIN 4 FASTENERS PER SHINGLE. SHINGLE HEADLAP NOT LESS THAN 2."
- 3. <u>GUTTERS and DOWNSPOUTS (DS).</u> 6" CONTIN. PRE-FIN. "WHITE" ALUM. HALF-ROUND GUTTER W/ CONTIN. PRE-FIN. "WHITE" DRIP EDGE and ROUND DOWNSPOUTS. PIPE TO STORM SEWER.
- 4. FIRE-BLOCKING. PROVIDE FIRE-BLOCKING IN EAVES AT MAX. 20' INTERVALS.
- 5. <u>ROOF TRUSSES</u>. TRUSS MANUFACTURER SHALL SUBMIT ERECTION PLAN and CONSTRUCTION DRAWINGS BEARING THE SEAL OF A REGISTERED DESIGN PROFESSIONAL.
- 6. <u>DIMENSIONS</u>. TRUSS MANUFACTURER SHALL VERIFY ALL DIMENSIONS with ACTUAL FIELD DIMENSIONS and MAKE ADJUSTMENTS AS REQUIRED.
- FASCIAS. TRUSS MANUFACTURER SHALL ENSURE THAT TRUSSES ARE DESIGNED SO THAT FASCIAS ALIGN PER ELEVATIONS.
- 8. <u>BRACING.</u> BRACE TRUSSES TO PREVENT ROTATION and PROVIDE LATERAL STABILITY.
- 9. <u>UPLIFT ANCHORS</u> SHALL BE PROVIDED AT EVERY CONNECTION OF ROOF TRUSS TO EXTERIOR WALL.

INSULATION AND ROOF SHEATHING.

ROOF-TO-ROOF VALLEYS.


- 10. INSULATION at SLOPED ROOFS. MAINTAIN 1 1/2" MIN. AIR SPACE BETWEEN
- II. <u>ICE DAM PROTECTION</u>. SELF-ADHERING POLYMER MODIFIED BITUMEN SHEET WATER-PROOFING MEMBRANE IN LIEU OF FELT UNDERLAYMENT. EXTEND FROM EAVE EDGE TO MIN. 24" INSIDE THE EXTERIOR WALL LINE. (2 ROLL WIDTHS TYP.) ALSO INSTALLED at HIPS, VALLEYS, DORMERS, and CUPOLAS AS PER MANUF'S INSTRUCTIONS.
- 12. VALLEYS. PROVIDE GALVANIZED STEEL VALLEY LINING OVER MIN. 36"
  COVERAGE OF SELF-ADHERING WATERPROOFING MEMBRANE. PROVIDE 12"
  OVERLAP OF TWO SHEETS AT THE CENTER OF THE VALLEY FOR A MIN. FULL
  WIDTH OF 36". THE ADJACENT ROOFING FELT SHALL OVERLAP THE EDGE OF
  THE WATERPROOFING MEMBRANE A MIN. OF 6" OVERLAP. TYPICAL at ALL
- 12.1. VALLEY LINING SHALL BE PREFINISHED TO MATCH ROOF SHINGLES.
  COLOR TO BE APPROVED BY ARCHITECT.
- 13. GUTTER SPLASH GUARD SHALL BE PROVIDED AT ALL VALLEYS.
- 14. RAINWATER DIVERTERS SHALL BE PROVIDED WHERE INDICATED.
- 15. <u>ROOF PENETRATIONS</u>. COORDINATE WITH MECHANICAL AND PLUMBING PLANS FOR ALL FLUE AND VENT PENETRATIONS. PROVIDE FLASHING AS REQUIRED.
- 15.1. PAINT ALL METAL VENT PIPES TO MATCH COLOR OF ROOF SHINGLES.
  COLOR TO BE APPROVED BY ARCHITECT
- 15.2. OPENINGS IN THE ROOF ARE <u>NOT</u> PERMITTED THRU THE FIRE-RETARDANT PLYWOOD SHEATHING.
- 16. <u>SIDEWALL FLASHING</u>. FLASHING AGAINST A VERTICAL WALL SHALL BE BY THE STEP-FLASHING METHOD. FLASHING SHALL BE MIN. 4" H x 4" W. THE STEP FLASHING SHALL DIRECT WATER AWAY FROM THE WALL AND ONTO THE ROOF AND/OR GUTTER.





CIVIL DRAWINGS. (TYP. (3) THIS SIDE)







THOMAS W. COFFEY, LICENSE #09179 EXPIRATION DATE 12/31/2017

OJECT ARCHIECT:

HOMAS M. COFFEY ARCHITECT

SE SHALE RIDGE COURT

SWELL, OHIO 43065

THOMAS 2 COFFEY

transFORM
CONSTRUCTION
TO NSTRUCTION
TITT Chesapeake Avenue Columbus
PH, 614-634-6364

Shell Roof Plan For:

M. OLENTANGY ST. PROJEC:

Building 'A'

Ife M. Olentangy Street

Powell, OH. 43065


PROGRESS SET: 5/24/16
REVIEW 85%: 6/13/16
P & Z FINAL SUBMITTAL: 6/28/16
BUDGET PRICING:
PERMIT REVIEW:
BIDDING:

CONSTRUCTION:

A1.3

JOB # 0516

BUILDING A







THOMAS W. COFFEY, LICENSE #09779 EXPIRATION DATE 12/31/2017

> $\triangleleft$

SA 



S IN 

PROGRESS SET:

REVIEW 85%: P&Z FINAL SUBMITTAL: 6/28/16 BUDGET PRICING : PERMIT REVIEW: BIDDING: CONSTRUCTION:

REVISIONS:

BUILDING A



### 'GRAY' MORTAR BUILDING SIDING:

- BUILDING TRIM: 'LP' SMART TRIM, PRE-FINISHED 'WHITE'. 5/4 and Ix SIZES AS NOTED.
- 'JAMES HARDIE' FIBER CEMENT SIDING: VERTICAL SIDING: PRE-FINISHED 'WHITE' HORIZONTAL SIDING: PRE-FINISHED "PEARL GRAY" (SEE ELEVATIONS FOR LOC. OF HORIZ. and VERT.)

#### ROOF SHINGLES:

- 240 LB. 40-YEAR DIMENSIONAL, FIBERGLASS ASPHALT, CLASS 'A' FIRE-RATED, ARCHITECTURAL GRADE ROOF SHINGLES
- GAF/ ELK T-30 'TIMBERLINE' or APPROVED EQUAL
- COLOR- "CHARCOAL"

### STANDING SEAM AWNINGS:

 "GALYANIZED": NON-PAINTED ACRYLIC COATED FINISH. 'GALYALUME'

### STOREFRONT & WINDOW SYSTEMS:

- <u>STOREFRONTS:</u> REFINISHED ALUMINUM INSULATED STOREFRONT SYSTEM, SIMILAR TO 'KAWNEER' TRIFAB, VERSA GLAZE \*450 STANDARD FRAMING SYSTEMIN "BLACK" \*29 ANODIZED FINISH OR EQUAL.
- <u>WINDOWS:</u> REFINISHED ALUMINUM FIXED WINDOW SYSTEM, SIMILAR TO "KAWNEER" \*8225TL ISO LOCK THERMAL WINDOW SYSTEM IN "BLACK \*29 ANODIZED FINISH OR EQUAL.

### EXTERIOR ELEVATION NOTES

1. GUTTERS and DOWNSPOUTS: 6" PRE-FIN. "WHITE" ALUM. HALF-ROUND GUTTERS 6" DIA. PRE-FINISHED "WHITE" DOWNSPOUTS SEE <u>ROOF</u> PLAN FOR DOWNSPOUT LOCATIONS.

### EXTERIOR BUILDING SIGNAGE

### BUILDING SIGNS:

- EXTERNALLY-LIT, SINGLE-SIDED/ WALL MOUNTED TENANT SIGN GRAPHICS LOCATED FRONT AND BACK FACADES UNLESS NOTED OTHERWISE.
- TENANT WALL WALL SIGNS ARE NOT TO EXCEED 18 SQ.FT. AT EITHER 9'-0"  $\times$  2'-0" or 12'-0"  $\times$  1'-6" AS SHOWN RECTANGULAR IN SHAPE.
- TENANT WALL SIGNS ARE NOT TO EXCEED 15'-0" IN HEIGHT TO TOP OF

THE SIGN TO THE ESTABLISHED FINISHED GRADE.

- TENANT WALL SIGNS ARE TO BE 1.5" THICK WOOD COMPOSITE MATERIAL WITH 'ENGRAVED' LETTERING AND GRAPHICS WITH "CHARCOAL BLACK" FINISHED BACKGROUND AND MAT "GOLD" FINISHED LETTERS OR
- TENANT WALL SIGNS ARE TO BE INSTALLED FLUSH TO THE WALL WITH 5/8" GALVANIZED OR STAINLESS STEEL LAG ANCHORS. NO MOUNTING HARDWARE SHALL BE VISIBLE ON THE SIGN FACE. SIGNAGE INSTALLERS ARE TO BE RESPONSIBLE FOR THE DESIGN AND MEETING APPLICABLE CODES FOR SIGNAGE ANCHORING

### BLADE SIGNS: (SHOWN ONLY ON THE EAST SIDE OF BUILDING 'B')


- ALUMINUM DOUBLE FACED 'BLADE' SIGNS SHALL BE A MAXIMUM OF 8 SQ. FT.
- THE LOWEST POINT OF THE BLADE SIGN SHALL BE AT LEAST 8'-0", BUT NO MORE THAN 15'-0" ABOVE THE ESTABLISHED FINISHED GRADE.


BLADE SIGN SUPPORTS AND BRACKETS SHALL BE


- COMPATIBLE WITH THE DESIGN AND SCALE OF THE SIGN. BRACKETS AND HARDWARE SHALL NOT EXCEED 4" FROM THE OUTSIDE FACE OF THE SIGN.
- BLADE SIGNS SHALL BE ETERNALLY LIT WITH AN ANGLED LIGHT FIXTURE AS SHOWN ON THE BUILDING ELEVATIONS.
- BLADE SIGN COLORS SHALL MATCH THAT OF THE BUILDING SIGNS WITH A BLACK BACKGROUND AND MAT GOLD LETTERING OR GRAPHICS.

### SIGNAGE RESTRICTIONS and REQUIREMENTS:

- ALL SIGNS ARE TO BE ARCHITECTURALLY INTEGRATED INTO THE BUILDING FACADE AS PER THE CITY OF POWELL SIGN CODE and THE APPROVED FINAL DEVELOPMENT PLAN DRAWINGS FOR THIS PROJECT.
- TENANTS OCCUPYING TENANT SPACES WITHIN THE BUILDINGS SHOWN SHALL HAVE THE RIGHT TO INSTALL ONE WALL MOUNTED OR BLADE SIGN ON THE FRONT FACADE (STREET FACING) AND ONE WALL WALL MOUNTED SIGN ON THE BACK FACADE AS SHOWN THE EXTERIOR BUILDING ELEVATIONS
- TENANTS and/or TENANT'S SIGN CONTRACTOR ARE RESPONSIBLE FOR SUBMITTING SIGN APPLICATIONS, PAYING FEES AND OBTAINING ALL PERMITS FROM THE CITY OF POWELL AT THEIR EXPENSE.
- ALL TENANT TENANT COPY and COLOR TO BE APPROVED BY LANDLORD PRIOR TO SIGN MANUAFACURING and INSTALLATION.









-4" LIMESTONE CAP

<u>i</u> n 

P&ZFINAL SUBMITTAL: 6/28/16






ntangy Street . 43065

REVIEW 85%: 6/3/16
P & Z FINAL SUBMITTAL: 6/28/16
BUDGET PRICING:

REVISIONS:


BUILDING A





A3.3 SCALE: 3/4" = 1'-0" at PARAPET WALL

B WALL SECTION
A3.3 SCALE: 3/4" = 1'-0" TYP. EXT. WALL



THOMAS W. COFFEY 9779

THOMAS W. COFFEY, LICENSE \*09179

EXPIRATION DATE 12/31/2017

THOMAS

transFORM CONSTRUCTION
DESIGN - BUILD
171 Chesapeake Avenue Columbus, OH

For:

NTANGY ST. PROJECT

A!

entangy Street

H. 43065

PROGRESS SET: 5/24/16
REVIEW 85%: 6/13/16
P & Z FINAL SUBMITTAL: 6/28/16
BUDGET PRICING:
PERMIT REVIEW:

BIDDING:
CONSTRUCTION:

REVISIONS:

BUILDING A

A3.3

# LEGEND

(SEE FINISH SCHEDULE A WALL TYPE (SEE DETAILS SHEET Al.2 or Bl.2)

(SEE DETAILS THIS SHEET)

SHEET Al.2 or Bl.2)


(GYP. BD. UN.O.)

DOOR NUMBER (SEE DOOR SCHEDULE


## FLOOR PLAN NOTES:


1. CONTRACTOR TO VERIFY ALL DIMENSIONS and EXISTING CONDITIONS PRIOR START OF CONSTRUCTION.

- 2. WRITTEN DIMENSIONS HAVE PRECEDENCE OVER SCALED DIMENSIONS. DO NOT SCALE THE DRAWINGS.
- 3. CONTRACTOR IS RESPONSIBLE TO CHECK THE PLANS AND NOTIFY PROJECT ARCHITECT IN WRITING OF ANY ERRORS OR OMISSIONS PRIOR TO START OF CONSTRUCTION.
- 4. NO MODIFICATIONS OR ALTERATIONS MAY BE MADE WITHOUT WRITTEN DIRECTION FROM PROJECT ARCHITECT,




# MALL TYPE DETAILS SCALE: 3/4" = 1'-Ø"





SA



tangy Street 43065

PROGRESS SET: REVIEW 85%: P&Z FINAL SUBMITTAL: 6/28/16 ■ BUDGET PRICING :


PERMIT REVIEW: ☐ BIDDING: ☐ CONSTRUCTION:


REVISIONS:

BUILDING B JOB # 0516

### GENERAL ROOF NOTES:

- 1. OUTLINE OF EXTERIOR WALLS ARE SHOWN DASHED.
- 2. <u>SHINGLES.</u> 240 LB. 40-YEAR DIMENSIONAL, FIBERGLASS ASPHALT, CLASS 'A' FIRE-RATED, ARCHITECTURAL GRADE ROOF SHINGLES W/ MIN 4 FASTENERS PER SHINGLE. SHINGLE HEADLAP NOT LESS THAN 2."
- 3. GUTTERS and DOWNSPOUTS (DS). 6" CONTIN. PRE-FIN. "WHITE" ALUM. HALF-ROUND GUTTER W/ CONTIN. PRE-FIN. "WHITE" DRIP EDGE and ROUND DOWNSPOUTS. PIPE TO STORM SEWER.
- 4. FIRE-BLOCKING. PROVIDE FIRE-BLOCKING IN EAVES AT MAX. 20' INTERVALS.
- 5. <u>ROOF TRUSSES</u>. TRUSS MANUFACTURER SHALL SUBMIT ERECTION PLAN and CONSTRUCTION DRAWINGS BEARING THE SEAL OF A REGISTERED DESIGN PROFESSIONAL.
- 6. <u>DIMENSIONS</u>. TRUSS MANUFACTURER SHALL VERIFY ALL DIMENSIONS with ACTUAL FIELD DIMENSIONS and MAKE ADJUSTMENTS AS REQUIRED.
- 1. <u>FASCIAS.</u> TRUSS MANUFACTURER SHALL ENSURE THAT TRUSSES ARE DESIGNED SO THAT FASCIAS ALIGN PER ELEVATIONS.
- 8. BRACING. BRACE TRUSSES TO PREVENT ROTATION and PROVIDE LATERAL STABILITY.
- 9. UPLIFT ANCHORS SHALL BE PROVIDED AT EVERY CONNECTION OF ROOF TRUSS TO EXTERIOR WALL.
- 10. INSULATION at SLOPED ROOFS. MAINTAIN 1 1/2" MIN. AIR SPACE BETWEEN INSULATION AND ROOF SHEATHING.
- II. ICE DAM PROTECTION. SELF-ADHERING POLYMER MODIFIED BITUMEN SHEET WATER-PROOFING MEMBRANE IN LIEU OF FELT UNDERLAYMENT. EXTEND FROM EAVE EDGE TO MIN. 24" INSIDE THE EXTERIOR WALL LINE. (2 ROLL WIDTHS TYP.) ALSO INSTALLED at HIPS, VALLEYS, DORMERS, and CUPOLAS AS PER MANUF'S INSTRUCTIONS.
- 12. <u>VALLEYS.</u> PROVIDE GALVANIZED STEEL VALLEY LINING OVER MIN. 36" COVERAGE OF SELF-ADHERING WATERPROOFING MEMBRANE. PROVIDE 12" OVERLAP OF TWO SHEETS AT THE CENTER OF THE VALLEY FOR A MIN. FULL WIDTH OF 36". THE ADJACENT ROOFING FELT SHALL OVERLAP THE EDGE OF THE WATERPROOFING MEMBRANE A MIN. OF 6" OVERLAP. TYPICAL at ALL ROOF-TO-ROOF VALLEYS.
- 12.1. VALLEY LINING SHALL BE PREFINISHED TO MATCH ROOF SHINGLES. COLOR TO BE APPROVED BY ARCHITECT.
- 13. <u>GUTTER SPLASH GUARD</u> SHALL BE PROVIDED AT ALL VALLEYS.
- 14. RAINWATER DIVERTERS SHALL BE PROVIDED WHERE INDICATED.
- 15. ROOF PENETRATIONS. COORDINATE WITH MECHANICAL AND PLUMBING PLANS FOR ALL FLUE AND VENT PENETRATIONS. PROVIDE FLASHING AS REQUIRED.
- 15.1. PAINT ALL METAL VENT PIPES TO MATCH COLOR OF ROOF SHINGLES. COLOR TO BE APPROVED BY ARCHITECT
- 15.2. OPENINGS IN THE ROOF ARE <u>NOT</u> PERMITTED THRU THE FIRE-RETARDANT PLYWOOD SHEATHING.
- 16. <u>SIDEWALL FLASHING</u>. FLASHING AGAINST A VERTICAL WALL SHALL BE BY THE STEP-FLASHING METHOD. FLASHING SHALL BE MIN. 4" H imes 4" W. THE STEP FLASHING SHALL DIRECT WATER AWAY FROM THE WALL AND ONTO THE ROOF AND/OR GUTTER.





SA

Plan For: S IN

PROGRESS SET: REVIEW 85%: P&Z FINAL SUBMITTAL: 6/28/16 ■ BUDGET PRICING : ☐ PERMIT REVIEW:

☐ BIDDING:

☐ CONSTRUCTION: REVISIONS:

BUILDING B

# EXTERIOR FINISH MATERIALS

### WATER TABLE:

- 'CASA DI SASSI' CULTURED STONE
- LIMESTONE: 'SONDRIO'

  GRAY' MORTAR

## BUILDING SIDING:

- BUILDING TRIM: 'LP' SMART TRIM, PRE-FINISHED 'WHITE'. 5/4 and IX SIZES AS NOTED.
- 'JAMES HARDIE' FIBER CEMENT SIDING:
   VERTICAL SIDING: PRE-FINISHED "WHITE"
   HORIZONTAL SIDING: PRE-FINISHED "PEARL GRAY"

(SEE ELEVATIONS FOR LOC. OF HORIZ. and VERT.)

### ROOF SHINGLES:

- 240 LB. 40-YEAR DIMENSIONAL, FIBERGLASS ASPHALT, CLASS 'A'
- FIRE-RATED, ARCHITECTURAL GRADE ROOF SHINGLES

  GAF/ ELK T-30 'TIMBERLINE' OF APPROVED EQUAL
- COLOR- "CHARCOAL"

#### STANDING SEAM AUNINGS:

"GALYANIZED": NON-PAINTED ACRYLIC COATED FINISH.
 'GALYALUME'

### STOREFRONT & WINDOW SYSTEMS:

- STOREFRONTS: REFINISHED ALUMINUM INSULATED STOREFRONT SYSTEM,
  SIMILAR TO 'KAUNEER' TRIFAB, VERSA GLAZE \*450 STANDARD FRAMING
  SYSTEMIN "BLACK" \*29 ANODIZED FINISH OR EQUAL.
- <u>WINDOWS:</u> REFINISHED ALUMINUM FIXED WINDOW SYSTEM, SIMILAR TO "KAWNEER" \*8225TL ISO LOCK THERMAL WINDOW SYSTEM IN "BLACK \*29 ANODIZED FINISH OR EQUAL.

### EXTERIOR ELEVATION NOTES

- GUTTERS and DOWNSPOUTS:
   6" PRE-FIN. "WHITE" ALUM. HALF-ROUND GUTTERS
- 6" DIA. PRE-FINISHED "WHITE" DOWNSPOUTS SEE <u>ROOF</u> PLAN FOR DOWNSPOUT LOCATIONS.

# EXTERIOR BUILDING SIGNAGE

### BUILDING SIGNS:

- EXTERNALLY-LIT, SINGLE-SIDED/ WALL MOUNTED TENANT SIGN GRAPHICS LOCATED FRONT AND BACK FACADES UNLESS NOTED OTHERWISE.
- TENANT WALL WALL SIGNS ARE NOT TO EXCEED <u>18 SQFT.</u> AT EITHER 9'-0" x 2'-0" or 12'-0" x 1'-6" AS SHOWN RECTANGULAR IN SHAPE.
- TENANT WALL SIGNS ARE NOT TO EXCEED 15'-0" IN HEIGHT TO TOP OF THE SIGN TO THE ESTABLISHED FINISHED GRADE.
- TENANT WALL SIGNS ARE TO BE 1.5" THICK WOOD COMPOSITE MATERIAL
  WITH 'ENGRAVED' LETTERING AND GRAPHICS WITH "CHARCOAL BLACK"
  FINISHED BACKGROUND AND MAT "GOLD" FINISHED LETTERS OR
  GRAPHICS.
- TENANT WALL SIGNS ARE TO BE INSTALLED FLUSH TO THE WALL WITH 1/8" GALVANIZED OR STAINLESS STEEL LAG ANCHORS. NO MOUNTING HARDWARE SHALL BE VISIBLE ON THE SIGN FACE.


  SIGNAGE INSTALLERS ARE TO BE RESPONSIBLE FOR THE DESIGN AND MEETING APPLICABLE CODES FOR SIGNAGE ANCHORING


### BLADE SIGNS: (SHOWN ONLY ON THE EAST SIDE OF BUILDING 'B')

- ALUMINUM DOUBLE FACED 'BLADE' SIGNS SHALL BE A MAXIMUM OF 8 SQ. FT.
- THE LOWEST POINT OF THE BLADE SIGN SHALL BE AT LEAST 8'-0", BUT NO MORE THAN 15'-0" ABOVE THE ESTABLISHED FINISHED GRADE.
- BLADE SIGN SUPPORTS AND BRACKETS SHALL BE
  COMPATIBLE WITH THE DESIGN AND SCALE OF THE SIGN.
  BRACKETS AND HARDWARE SHALL NOT EXCEED 4" FROM THE
  OUTSIDE FACE OF THE SIGN.
- BLADE SIGNS SHALL BE ETERNALLY LIT WITH AN ANGLED LIGHT FIXTURE AS SHOWN ON THE BUILDING ELEVATIONS.
- BLADE SIGN COLORS SHALL MATCH THAT OF THE BUILDING SIGNS WITH A BLACK BACKGROUND AND MAT GOLD LETTERING OR GRAPHICS.

### SIGNAGE RESTRICTIONS and REQUIREMENTS:

- ALL SIGNS ARE TO BE ARCHITECTURALLY INTEGRATED INTO THE BUILDING FACADE AS PER THE CITY OF POWELL SIGN CODE and THE APPROVED FINAL DEVELOPMENT PLAN DRAWINGS FOR THIS PROJECT.
- TENANTS OCCUPYING TENANT SPACES WITHIN THE BUILDINGS SHOWN
  SHALL HAVE THE RIGHT TO INSTALL ONE WALL MOUNTED OR BLADE SIGN
  ON THE FRONT FACADE (STREET FACING) AND ONE WALL WALL MOUNTED
  SIGN ON THE BACK FACADE AS SHOWN THE EXTERIOR BUILDING
  ELEVATIONS
- TENANTS and/or TENANT'S SIGN CONTRACTOR ARE RESPONSIBLE FOR SUBMITTING SIGN APPLICATIONS, PAYING FEES AND OBTAINING ALL PERMITS FROM THE CITY of POWELL AT THEIR EXPENSE.
- ALL TENANT TENANT COPY and COLOR TO BE APPROVED BY LANDLORD PRIOR TO SIGN MANUAFACURING and INSTALLATION.









THOMAS W. COFFEY, LICENSE #09779 EXPIRATION DATE 12/31/2017

THOMAS

COFFEY

transFORM
CONSTRUCTION
1171 Chesapeake Avenue Columbus, OH
PH. 614-634-6364

A. OLENTANGY ST. PROJECTURING 'B'


To M. Olentangy Street


Powell, OH. 43065


PROGRESS SET: 5/24/6
■ REVIEW 85%: 6/13/16
■ P & Z FINAL SUBMITTAL: 6/28/16
□ BUDGET PRICING:
□ PERMIT REVIEW:
□ BIDDING:

CONSTRUCTION:

BUILDING B







THOMAS W. COFFEY, LICENSE #09179 EXPIRATION DATE 12/31/2017

THOMAS M. COFFE
365 SHALE RIDGE COURT
POWELL, OHIO 43065



transFORM CONSTRUCTION 1171 Chesapeake Avenue Columbus, OH PH, 614-634-6364

M. OLENTANGY ST. PROJECT
Building 'B'
178 M. Olentangy Street
Powell, OH. 43065

BIDDING:
CONSTRUCTION:
REVISIONS:

P&Z FINAL SUBMITTAL: 6/28/16

PROGRESS SET:


BUDGET PRICING:

PERMIT REVIEW:


REVIEW 85%:

6/13/16


BUILDING B














ARCHITECT


transFORM CONSTRUCTION
DESIGN. BUILD

entangy Street 4. 43065 OFFITANG\*

PROGRESS SET: REVIEW 85%: P & Z FINAL SUBMITTAL: 6/28/16
BUDGET PRICING:

PERMIT REVIEW: ☐ BIDDING: CONSTRUCTION: REVISIONS:

BUILDING B **B3**.



THOMAS COFFEY 9779 ERED AR

THOMAS W. COFFEY, LICENSE #09779 EXPIRATION DATE 12/31/2017

10 E 

S IN ANG 

PROGRESS SET: REVIEW 85%: P&ZFINAL SUBMITTAL: 6/28/16 ■ BUDGET PRICING : ☐ PERMIT REVIEW: ☐ BIDDING:

CONSTRUCTION:

REVISIONS:


BUILDING B B3.2


### ○ DEMOLITION KEYNOTES

- EX. SIDEWALK TO BE REMOVED. EX. ASPHALT TO BE REMOVED. EX. TREE & STUMP TO BE REMOVED. EX. CATCH BASIN TO BE REMOVED. EX. STORM PIPE TO BE REMOVED. EX. SANITARY TO BE REMOVED.
- EX. CATCH BASIN TO REMAIN. EX. STORM PIPE TO REMAIN. 9. CAP EXISTING SANITARY PIPE.

### MISC. DEMOLITION NOTES

- ALL ITEMS NOTED FOR DEMOLITION SHALL BE REMOVED & DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS, UNLESS OTHERWISE DIRECTED BY OWNER.
- CONTRACTOR SHALL COORDINATE THE DISCONNECTION REMOVAL &/OR ABANDONMENT OF EXISTING UTILITIES WITH THE APPROPRIATE UTILITY OWNERS AS NECESSARY & SHALL MEET ALL APPLICABLE FEDERAL, STATE & LOCAL CODES & REQUIREMENTS.
- REFERENCE MECHANICAL PLANS, ARCHITECTURAL PLANS, STRUCTURAL PLANS, AND LANDSCAPE PLANS FOR ADDITIONAL DETAILS.
















TOPOGRAPHIC SURVEY: 4/08/16 ■ ALTA SURVEY: 6/04/16 ■ REVIEW SET: 6/17/16 P&Z FINAL SUBMITTAL: 6/28/16

☐ BUDGET PRICING : PERMIT REVIEW: BIDDING:

CONSTRUCTION: REVISIONS:

EXISTING CONDITIONS AND SITE DEMOLITION PLAN





- 1. PAVEMENT MARKINGS INCLUDING PARKING SPACES, TRANSVERSE LINES & ADA SYMBOLS TO BE PLACED AS SHOWN PER ITEMS 641 & 642.
- STRAIGHT 18" CONCRETE CURB.
   LANDSCAPE AREA. REFERENCE LANDSCAPE PLAN
- FOR DETAILS.
- 4. CONCRETE SIDEWALK. 5. INTEGRAL CURB & WALK.
- 6. PROPOSED DUMPSTER PAD. REFERENCE
- ARCHITECTURAL PLANS FOR SCREENING DETAILS.
  7. PROPOSED DUMPSTER APPROACH.
  8. CONCRETE PATIO. REFERENCE LANDSCAPE PLANS
- FOR DETAILS.
- 9. ADA PARKING SIGN INSTALLED PER MANUFACTURER'S SPECIFICATIONS.
- 10. STOP SIGN. 11. CONCRETE WHEEL STOPS TYP. INSTALLED PER
- MANUFACTURES SPECIFICATIONS.

  12. SITE LIGHTING. REFERENCE MECHANICAL PLANS FOR
- DETAILS. 13. CONCRETE TRANSFORMER PAD. REFERENCE MECHANICAL PLANS FOR DETAILS.

### MISC. SITE NOTES


- DIMENSIONS SHOWN ARE TO FACE OF CURB, WHERE APPLICABLE, UNLESS OTHERWISE NOTED.
- ALL PARKING SPACES ARE 9' x 19' UNLESS INDICATED OTHERWISE.
- ADA VAN ACCESSIBLE PARKING SPACES SHALL COMPLY WITH APPLICABLE FEDERAL, STATE & LOCAL REQUIREMENTS.
- ALL DISTURBED AREAS SHALL BE SEEDED & MULCHED.

## PAVEMENT LEGEND




STANDARD DUTY PAVEMENT, SEE
















TOPOGRAPHIC SURVEY: 4/08/16 ALTA SURVEY: 6/04/16 ■ REVIEW SET: 6/17/16 P&ZFINAL SUBMITTAL: 6/28/16 ☐ BUDGET PRICING :

PERMIT REVIEW: 6/28/16 BIDDING: CONSTRUCTION:

REVISIONS:

SITE DIMENSION AND PAVEMENT PLAN




### **UTILITY KEYNOTES**

- PROPOSED STORM SEWER. SEE PROFILES.
- 2. 6" ROOF DRAIN COLLECTOR @ 1.0% MIN. SLOPE. COORDINATE DOWNSPOUT LOCATIONS WITH BUILDING PLANS.
- 3. APPROXIMATE LOCATION OF EXISTING SANITARY SERVICE LATERAL. CONTRACTOR SHALL UTILIZE EXISTING SERVICE.
- CLEANOUT (TYP).
   OIL INTERCEPTOR, REFERENCE MECHANICAL PLANS FOR DETAILS.
- 6. 6" SAN SERVICE @ 2.08% MIN. SLOPE. 7. SAN SERVICE LINES. REFERENCE MECHANICAL
- PLANS FOR DETAILS. 8. 1-1/2" DOMESTIC WATER SERVICE W/VALVE & METÉR VAULT PER DELCO WATER REQUIREMENTS. CONTRACTOR SHALL VERIFY LOCATION & ELEVATION OF EXISTING WATER LINE.
- 9. 8" SANITARY SEWER. PLAN APPROVAL THROUGH DELAWARE COUNTY REGIONAL SEWER DISTRICT.

### MISC. UTILITY NOTES

- CONTRACTOR SHALL COORDINATE ALL UTILITY WORK WITH CORRESPONDING UTILITY OWNER.
- REFERENCE MECHANICAL PLANS FOR ADDITIONAL DETAILS.










TOPOGRAPHIC SURVEY: 4/08/16 ■ ALTA SURVEY: 6/04/16 ■ REVIEW SET: 6/17/16 P&Z FINAL SUBMITTAL: 6/28/16

☐ BUDGET PRICING : PERMIT REVIEW: 6/28/16 BIDDING:

CONSTRUCTION: REVISIONS:

SITE UTILITY PLAN




### **GRADING KEYNOTES**

- 1. INLET PROTECTION. CONTRACTOR TO INSTALL PRIOR TO BEGINNING ANY CONSTRUCTION
- OPERATION.
- 2. SEDIMENT FENCE.
- STORM SEWER, SEE PROFILE. 4. MAJOR FLOOD ROUTE ARROW.
- SIDEWALK FLUSH WITH PAVEMENT. 6. TRANSITION FROM FLUSH CURB AND PAVEMENT TO FULL HEIGHT CURB.


### MISC. GRADING NOTES

- ELEVATIONS SHOWN REPRESENT EDGE OF PAVEMENT AT FACE OF CURB, OR SIDEWALK WHERE APPLICABLE, TC = TOP OF CASTING.
- ALL DISTURBED AREAS SHALL BE SEEDED & MULCHED WHERE APPLICABLE.
- ALL EXISTING AND PROPOSED STORM SEWER INLETS TO BE FITTED WITH EROSION CONTROL DEVICES PRIOR TO, AND DURING, CONSTRUCTION.
- ANY EX. MANHOLES, CATCH BASINS, WATER VALVES, OR OTHER UTILITY STRUCTURES LOCATED WITHIN AREAS OF PROPOSED GRADING SHALL BE ADJUSTED TO GRADE ACCORDING TO THE UTILITY OWNER'S REQUIREMENTS.









REVISIONS:

☐ BUDGET PRICING :

BIDDING: CONSTRUCTION:


TOPOGRAPHIC SURVEY: 4/08/16 ■ ALTA SURVEY: 6/04/16

■ REVIEW SET: 6/17/16


P&ZFINAL SUBMITTAL: 6/28/16

PERMIT REVIEW: 6/28/16

STORMWATER MANAGEMENT \$ GRADING PLAN \$ STORM SEWER PROFILE









Schedule Symbol	Label	Quantity	Manufacturer	Catalog Number	Description	Lamp	Number Lamps	Filename	Lumens Per Lamp	Light Loss Factor	Wattage
	EM	8	Antique Street Lamps	EM25 400M MOG GCF SR4W	EUROTIQUE ARCHITECTURAL LUMINAIRE WITH SR4W REFLECTOR, CLEAR FLAT GLASS LENS.	ONE 400-WATT CLEAR ED28 METAL HALIDE, HORIZONTAL POS.	1	EM25FT_400M_G CF_SR4W.ies	32000	0.85	442.3
0.0	EM2	2	Antique Street Lamps	EM25 400M MOG GCF SR4W	EUROTIQUE ARCHITECTURAL LUMINAIRE WITH SR4W REFLECTOR, CLEAR FLAT GLASS LENS.	ONE 400-WATT CLEAR ED28 METAL HALIDE, HORIZONTAL POS.	1	EM25FT_400M_G CF_SR4W.ies	32000	0.85	884.6

Statistics

Olentangy Site





POLE MOUNTING DETAIL

SCALE: NTS

REVISIONS:

BUILDING B

**ES1.2** 

## EXTERIOR BUILDING SIGNAGE

### BUILDING SIGNS:


- EXTERNALLY-LIT, SINGLE-SIDED/ WALL MOUNTED TENANT SIGN GRAPHICS LOCATED FRONT AND BACK FACADES UNLESS NOTED OTHERWISE.
- TENANT WALL WALL SIGNS ARE NOT TO EXCEED 18 SQFT. AT EITHER 9'-0"
   x 2'-0" or 12'-0" x 1'-6" AS SHOWN RECTANGULAR IN SHAPE.
- TENANT WALL SIGNS ARE NOT TO EXCEED 15'-0" IN HEIGHT TO TOP OF THE SIGN TO THE ESTABLISHED FINISHED GRADE.
- TENANT WALL SIGNS ARE TO BE 1.5" THICK WOOD COMPOSITE MATERIAL
  WITH 'ENGRAVED' LETTERING AND GRAPHICS WITH "CHARCOAL BLACK"
  FINISHED BACKGROUND AND MAT "GOLD" FINISHED LETTERS OR
  GRAPHICS.
- TENANT WALL SIGNS ARE TO BE INSTALLED FLUSH TO THE WALL WITH 5/8" GALVANIZED OR STAINLESS STEEL LAG ANCHORS. NO MOUNTING HARDWARE SHALL BE VISIBLE ON THE SIGN FACE. SIGNAGE INSTALLERS ARE TO BE RESPONSIBLE FOR THE DESIGN AND MEETING APPLICABLE CODES FOR SIGNAGE ANCHORING.


### BLADE SIGNS: (SHOWN ONLY ON THE EAST SIDE OF BUILDING 'B')

- ALUMINUM DOUBLE FACED 'BLADE' SIGNS SHALL BE A MAXIMUM OF 8 SQ. FT.
- THE LOWEST POINT OF THE BLADE SIGN SHALL BE AT LEAST 8'-0", BUT NO MORE THAN 15'-0" ABOVE THE ESTABLISHED FINISHED GRADE.
- BLADE SIGN SUPPORTS AND BRACKETS SHALL BE
  COMPATIBLE WITH THE DESIGN AND SCALE OF THE SIGN.
  BRACKETS AND HARDWARE SHALL NOT EXCEED 4" FROM THE
  OUTSIDE FACE OF THE SIGN.
- BLADE SIGNS SHALL BE ETERNALLY LIT WITH AN ANGLED LIGHT FIXTURE AS SHOWN ON THE BUILDING ELEVATIONS.
- BLADE SIGN COLORS SHALL MATCH THAT OF THE BUILDING SIGNS WITH A BLACK BACKGROUND AND MAT GOLD LETTERING OR GRAPHICS.

### SIGNAGE RESTRICTIONS and REQUIREMENTS:

- ALL SIGNS ARE TO BE ARCHITECTURALLY INTEGRATED INTO THE BUILDING FACADE AS PER THE CITY OF POWELL SIGN CODE and THE APPROVED FINAL DEVELOPMENT PLAN DRAWINGS FOR THIS PROJECT.
- TENANTS OCCUPYING TENANT SPACES WITHIN THE BUILDINGS SHOWN SHALL HAVE THE RIGHT TO INSTALL ONE WALL MOUNTED OR BLADE SIGN ON THE FRONT FACADE (STREET FACING) AND ONE WALL WALL MOUNTED SIGN ON THE BACK FACADE AS SHOWN THE EXTERIOR BUILDING ELEVATIONS
- TENANTS and/or TENANT'S SIGN CONTRACTOR ARE RESPONSIBLE FOR SUBMITTING SIGN APPLICATIONS, PAYING FEES AND OBTAINING ALL PERMITS FROM THE CITY OF POWELL AT THEIR EXPENSE.
- ALL TENANT TENANT COPY and COLOR TO BE APPROVED BY LANDLORD PRIOR TO SIGN MANUAFACURING and INSTALLATION.





**VICINITY MAP** 

N.T.S

## **SITE DATA:**

ACREAGE: +/- 1 AC

ZONING: DOWNTOWN BUSINESS DISTRICT (DB)

BUILDING A: +/- 4,000 SF RESTAURANT

+/- 1,500 SF PATIO

BUILDING B: +/- 4,800 SF RETAIL

TOTAL LOT

COVERAGE 20% (20% MAXIMUM REQUIRED)

Parking

REQUIRED: 46 (A = 29 + B = 17)

Parking

PROVIDED:

46 (40 ON SITE +6 SHARED WITH ADJACENT OFFICE)

## DEVELOPER:

TRANSFORM CONSTRUCTION, LLC 1171 CHESAPEAKE AVENUE COLUMBUS, OH 43212

CONTACT: JOSHUA WEIR

PHONE: 614.291.7799

JOSHUA@TRANSFORMGC.COM

## <u>Planning:</u>

POD DESIGN, LLC 100 NORTHWOODS BLVD SUITE A

COLUMBUS, OH 43235

CONTACT: TODD FOLEY, PRINCIPAL

PHONE: 614.360.3055 TFOLEY@PODDESIGN.NET

ARCHITECT:

THOMAS COFFEY ARCHITECT 365 SHALE RIDGE COURT POWELL, OH 43065

CONTACT: TOM COFFEY PHONE: 614.562.2273

TOM@TWCARCHITECTURE.COM

# CIVIL ENGINEER:

SANDS DECKER CPC 1495 OLD HENDERSON RD. COLUMBUS, OH 43220

CONTACT: JASON STEVENS PHONE: 614.459.6992 JSTEVENS@SANDSDECKERCPS.COM

- 1. EXISTING WALKWAY TO REMAIN
- 2. LAWN AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS
- 3. MULCH AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS
- 4. PROPOSED WALKWAY, REFER TO DETAIL 1, SHEET L4.0
- 6. STONE RETAINING WALL, REFER TO DETAIL 3, SHEET L4.0
- 7. PATIO RAILING, REFER TO DETAIL 3, SHEET L4.0

- 16. UPLIGHT: LED ACCENT LIGHT, BLACK LOW VOLTAGE, MODEL 15743 FROM KICHLER
- 18. 6 SHARED PARKING SPACES
- 19. PROPOSED CROSSWALK TO ADJACENT DEVELOPMENT

CODED NOTES

5. SPECIALTY PAVEMENT, REFER TO DETAIL 2, SHEET L4.0

8. SEATWALL PLANTER, REFER TO DETAIL 5, SHEET L4.0

9. REFUSE ENCLOSURE, REFER TO DETAIL 6, SHEET L4.0

10. BENCH, REFER TO DETAIL 7, SHEET L4.0

11. TRASH RECEPTACLE, REFER TO DETAIL 8, SHEET L4.0

12. BIKE RACK, REFER TO DETAIL 9, SHEET L4.0

13. RESTAURANT OUTDOOR SEATING

14. GATE

15. LIGHTING, SEE CIVIL PLANS


17. EXISTING STORM WATER BASIN

TOPOGRAPHIC SURVEY: 4/08/16 PRELIMINARY: 4/20/16 FINAL SUBMITTAL: 6/28/16 CLIENT APPROVAL: BUDGET PRICING :

PERMIT REVIEW: BIDDING:
CONSTRUCTION:

REVISIONS:





AM GR	Amelanchier x grandiflora	Serviceberry	10-12' ht, multi-stem	B&B	As Sh
PR OK	Prunus x 'Okame'	Okame Cherry	1.5" cal.	B&B	As Sho
GI BI	Ginkgo biloba 'Princeton Sentry'	Male Princeton Sentry Mainhair Tree	3" cal.	B&B	As Sho
GL TR	Gleditsia t.f.i. 'Imperial'	Imperial Honeylocust	3" cal.	B&B	As Sho
PL AC	Platanus x. acerifolia	London Planetree	3" cal.	B&B	As Sho
SHRUBS		•			
BU GR	Buxus x. 'Green Gem'	Green Gem Boxwood	12" ht.	B&B	As Sho
HY QU	Hydrangea quercifolia	Oakleaf Hydrangea	24" ht.	Cont.	As Sho
IT VI	Itea virginica 'Merlot'	Merlot Sweetspire	24" ht.	Cont.	As Sho
JU OL	Juniperus ch. 'Old Gold'	Old Gold Juniper	24" ht.	B&B	As Sho
JU SE	Juniperus ch. 'Sea Green'	Sea Green Juniper	24" ht.	B&B	As Sho
JU SK	Juniperus sc. 'Skyrocket'	Skyrocket Juniper	5' ht.	B&B	As Sho
RH AR	Rhus aromatica 'Gro Low'	Gro-Low Fragrant Sumac	18" ht.	Cont.	As Sho
SY PA	Syringa patula 'Miss Kim'	Miss Kim Korean Lilac	24" ht.	Cont.	As Sho
PERENNIAL	S, GROUNDCOVERS, & ORNAMEN	TAL GRASSES			
CA AC	Calamagrostis acutiflora 'Karl Forester'	Karl Forester Feather Reed Grass	1 GAL.	Cont.	As Sho
EC PU	Echinacea purpurea**	Purple Coneflower	1 GAL.	Cont.	As Sho
HE HR	Hemerocallis "Happy Returns'**	Happy Returns Daylily	1 GAL.	Cont.	18" C
NA DM	Narcissus 'Dutch Master'**	Dutch Master Daffodil	BULB		As Sho
NE WA	Nepeta x f. 'Walker's Low'	Walker's Low Catmint	1 GAL.	Cont.	As Sho
PA VI	Panicum virgation 'Shenandoah'	Shenandoah Red Switch Grass	1 GAL.	Cont.	As Sho
PE HA	Pennisetum a. 'Hameln'	Dwarf Fountain Grass	1 GAL.	Cont.	As Sho
RU HI	Rudbeckia hirta**	Black-eyed Susan	1 GAL.	Cont.	As Sho
SE AU	Sedum 'Autumn Joy'**	Autumn Joy Sedum	1 GAL.	Cont.	As Sho

DECIDUOUS SHADE TREE

DECIDUOUS ORNAMENTAL TREE

LARGE DECIDUOUS SHRUB

MEDIUM DECIDUOUS SHRUB

EVERGREEN SHRUB

LARGE ORNAMENTAL GRASS

PERENNIAL

CODED NOTES

EXISTING WALKWAY TO REMAIN

2. LAWN AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS

3. MULCH AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS

4. PROPOSED WALKWAY, REFER TO DETAIL 1, SHEET L4.0 5. SPECIALTY PAVEMENT, REFER TO DETAIL 2, SHEET L4.0

6. STONE RETAINING WALL, REFER TO DETAIL 3, SHEET L4.0

7. PATIO RAILING, REFER TO DETAIL 3, SHEET L4.0

8. SEATWALL PLANTER, REFER TO DETAIL 5, SHEET L4.0 9. REFUSE ENCLOSURE, REFER TO DETAIL 6, SHEET L4.0

10. BENCH, REFER TO DETAIL 7, SHEET L4.0

11. TRASH RECEPTACLE, REFER TO DETAIL 8, SHEET L4.0

12. BIKE RACK, REFER TO DETAIL 9, SHEET L4.0

13. RESTAURANT OUTDOOR SEATING

14. GATE

15. LIGHTING, SEE CIVIL PLANS

16. UPLIGHT: LED ACCENT LIGHT, BLACK LOW VOLTAGE,

MODEL 15743 FROM KICHLER

17. EXISTING STORM WATER BASIN

18. 6 SHARED PARKING SPACES

19. PROPOSED CROSSWALK TO ADJACENT DEVELOPMENT

# LANDSCAPE REQUIREMENTS:

1145.30(2)

FOR ALL NEW CONSTRUCTION OR LAND DEVELOPMENT FOR WHICH A BUILDING PERMIT AND OR A ZONING CERTIFICATE IS REQUIRED THERE SHALL BE TREES PROVIDED FOR WITHIN THE STRUCTURE RELATED PROPERTY LOT LINES

REQUIRED: 1 1" TOTAL TREE TRUNK DIAMETER 21" TOTAL - 3 TREES AT 3" DIAMETER EACH + 8 TREES AT 1.5" DIAMETER EACH PROVIDED:

(10" TO BE APPLIED TOWARDS REQUIRED REPLACEMENT TREES)

THERE SHALL BE NO LESS THAN ONE DECIDUOUS TREE OF 1.5" DIAMETER OR MORE FOR EVERY 8 PARKING SPACES OR PORTION THEREOF.

TREES REQUIRED: TREES PROVIDED:

AT LEAST 70% OF THE LINEAL FOOTAGE AROUND THE PERIMETER OF A STRUCTURE SHALL BE LANDSCAPED. SHRUBS OR HEDGES SHALL BE GROUPED RATHER THAN SPACED AS SINGLE SHRUBS AT REGULAR DISTANCES. A MINIMUM OF 5 SHRUBS SHALL BE PLANTED IN EVERY 40' OF LINEAL BUILDING PERIMETER. A MINIMUM OF 10 PERENNIAL OR ANNUAL PLANTS SHALL BE PLANTED IN EVERY 40' OF LINEAL BUILDING PERIMETER.

BUILDING 'A'

32.5 SHRUBS REQUIRED: 155 SHRUBS PROVIDED:

PERENNIALS REQUIRED: 65 PERENNIALS PROVIDED: 280

BUILDING 'B'

SHRUBS REQUIRED: SHRUBS PROVIDED: 88

PERENNIALS REQUIRED: 70 PERENNIALS PROVIDED: 45

1145.33

SCREENING SHALL BE PROVIDED FOR ANY PERMITTED NON-RESIDENTIAL USES WHICH ABUT ANY RESIDENTIAL DISTRICT. SCREENING MAY CONSIST OF DENSE VEGETATIVE PLANTING WITH A MINIMUM HEIGHT OF 4' AT PLANTING AND A MATURE HEIGHT OF AT LEAST 5.5' HIGH IN ORDER TO ACCOMPLISH THE DESIRED SCREENING EFFECT.


PROVIDED: HEDGE ROW EVERGREEN AND ORNAMENTAL GRASS



10 ∑. 0 0±. 4.


TOPOGRAPHIC SURVEY: 4/08/16 ■ PRELIMINARY: 4/20/16 FINAL SUBMITTAL: 6/28/16 CLIENT APPROVAL: BUDGET PRICING : PERMIT REVIEW:

BIDDING: CONSTRUCTION: REVISIONS:



**DECIDUOUS TREES** 10-12' ht, Amelanchier x grandiflora Serviceberry As Shown Okame Cherry PR OK Prunus x 'Okame' 1.5" cal. B&B As Shown Male Princeton Sentry Mainhair Tree 3" cal. Ginkgo biloba 'Princeton Sentry' GI BI B&B As Shown GL TR Gleditsia t.f.i. 'Imperial' Imperial Honeylocust 3" cal. B&B As Shown PL AC Platanus x. acerifolia London Planetree 3" cal. B&B As Shown **SHRUBS** 12" ht. BU GR Buxus x. 'Green Gem' Green Gem Boxwood B&B As Shown Hydrangea quercifolia Oakleaf Hydrangea HY QU 24" ht. Cont. As Shown Itea virginica 'Merlot' Merlot Sweetspire 24" ht. As Shown IT VI Cont. Old Gold Juniper Juniperus ch. 'Old Gold' 24" ht. B&B As Shown JU OL Sea Green Juniper Juniperus ch. 'Sea Green' 24" ht. B&B As Shown JU SE Juniperus sc. 'Skyrocket' Skyrocket Juniper B&B JU SK 5' ht. As Shown Gro-Low Fragrant Sumac Rhus aromatica 'Gro Low' 18" ht. Cont. RH AR As Shown 24" ht. Cont. As Shown Syringa patula 'Miss Kim' Miss Kim Korean Lilac PERENNIALS, GROUNDCOVERS, & ORNAMENTAL GRASSES 1 GAL. Calamagrostis acutiflora 'Karl Forester' Karl Forester Feather Reed Grass Cont. As Shown CA AC 1 GAL. Purple Coneflower EC PU Echinacea purpurea\*\* Cont. As Shown 1 GAL. Hemerocallis "Happy Returns'\*\* Happy Returns Daylily HE HR Cont. 18" O.C. BULB NA DM Narcissus 'Dutch Master'\*\* Dutch Master Daffodil As Shown NE WA Nepeta x f. 'Walker's Low' Walker's Low Catmint 1 GAL. Cont. As Shown 1 GAL. PA VI Panicum virgation 'Shenandoah' Shenandoah Red Switch Grass Cont. As Shown Dwarf Fountain Grass 1 GAL. PE HA Pennisetum a. 'Hameln' Cont. As Shown Black-eyed Susan 1 GAL. RU HI Rudbeckia hirta\*\* Cont. As Shown

Autumn Joy Sedum



DECIDUOUS SHADE TREE

Sedum 'Autumn Joy'\*\*

\*Plant substitutions by developer may be required depending on plant availability.

\*\*Plant placement should be mixed and evenly distributed throughout defined area.

DECIDUOUS ORNAMENTAL TREE

LARGE DECIDUOUS SHRUB

MEDIUM DECIDUOUS SHRUB

EVERGREEN SHRUB

LARGE ORNAMENTAL GRASS





- 2. LAWN AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS
- MULCH AREA, PROVIDE POSITIVE DRAINAGE ALL DIRECTIONS
- 4. PROPOSED WALKWAY, REFER TO DETAIL 1, SHEET L4.0
- 6. STONE RETAINING WALL, REFER TO DETAIL 3, SHEET L4.0
- 7. PATIO RAILING, REFER TO DETAIL 3, SHEET L4.0
- 8. SEATWALL PLANTER, REFER TO DETAIL 5, SHEET L4.0
- 9. REFUSE ENCLOSURE, REFER TO DETAIL 6, SHEET L4.0
- 10. BENCH, REFER TO DETAIL 7, SHEET L4.0

- 15. LIGHTING, SEE CIVIL PLANS
- 16. UPLIGHT: LED ACCENT LIGHT, BLACK LOW VOLTAGE, MODEL 15743 FROM KICHLER
- 17. EXISTING STORM WATER BASIN
- 18. 6 SHARED PARKING SPACES
- 19. PROPOSED CROSSWALK TO ADJACENT DEVELOPMENT

- 1. EXISTING WALKWAY TO REMAIN

- 5. SPECIALTY PAVEMENT, REFER TO DETAIL 2, SHEET L4.0

1 GAL.


Cont.


As Shown

- 11. TRASH RECEPTACLE, REFER TO DETAIL 8, SHEET L4.0
- 12. BIKE RACK, REFER TO DETAIL 9, SHEET L4.0
- 13. RESTAURANT OUTDOOR SEATING
- 14. GATE

TOPOGRAPHIC SURVEY: 4/08/16 ■ PRELIMINARY: 4/20/16 FINAL SUBMITTAL: 6/28/16 CLIENT APPROVAL: BUDGET PRICING : PERMIT REVIEW:

BIDDING:
CONSTRUCTION: REVISIONS:





## LANDSCAPE REQUIREMENTS:

## 1145.29

FOR EVERY TREE HAVING A TRUNK DIAMETER OF SIX (6) INCHES OR GREATER THAT IS DESTROYED IN THE COURSE OF DEVELOPMENT OR CONSTRUCTION, NEW TREES SHALL BE PLANTED ON THE SUBJECT SITE HAVING A TOTAL TRUNK DIAMETER OF NO LESS THAN SIX (6) INCHES. NO SINGLE REPLACEMENT PLANTING SHALL HAVE A TRUNK DIAMETER OF LESS THAN ONE-AND-ONE HALF (1-1/2) INCHES

existing trees						
TREE #	SIZE	SPECIES	CONDITION	STATUS		
1	6"	MAPLE	GOOD	REMOVED		
2	6"	MAPLE	GOOD	REMOVED		
3	6"	MAPLE	GOOD	REMOVED		
4	6"	MAPLE	GOOD	REMOVED		

TREES REMOVED: 4 TREES

REPLACEMENT REQUIRED: 4 TREES (1.5" MINIMUM PER TREE)

تب

THOMAS N. COFFEY
365 SHALE RIDGE COURT

COFFI

Columbus, Ohio 43235
p 614.255.3399

Cincinnati
10816 Millington Court, Ste
Cincinnati, Ohio 45242
p 614.360.3066

PoD desig

= ENTANGY ST. PROJEC 178 M. Olentangy Street 1, OH. 43065

TOPOGRAPHIC SURVEY: 4/08/16
PRELIMINARY: 4/20/16
FINAL SUBMITTAL: 6/28/16
CLIENT APPROVAL:
BUDGET PRICING:

PERMIT REVIEW:
BIDDING:
CONSTRUCTION:

REVISIONS:

L2.3



KEY

EXISTING PARKING LOT

B REFUSE

**C** EXISTING SIDEWALK

PROPOSED SIDEWALK (TYP.)

RESTAURANT PATIO

ACCESS DRIVE ALIGNMENT WITH ARMITA

G PLANTING AREA


POD

■ TOPOGRAPHIC SURVEY: 4/08/16
 ■ PRELIMINARY: 4/20/16
 ■ FINAL SUBMITTAL: 6/28/16

CLIENT APPROVAL: BUDGET PRICING :

PERMIT REVIEW:
BIDDING:
CONSTRUCTION:

REVISIONS:



REFERENCE IMAGE

1'-7" CENTER

OF HOLES

SIDE VIEW

**\$** site\$cape\$

AVONDALE BENCH PRODUCT AV1-1000

www.sitescapesonline.com

AVAILABLE FROM:

SITESCAPES

402-421-9464

6' BACKED BENCH

STEEL BAR ENDS

HARDWOOD SLATS

POWDER COATED

COLOR: SLATE

NO CENTER ARMREST

OR OWNER APPROVED EQUAL

Mesh Inset Railing

TOP VIEW


5'-6" O.C.

5'-8"

FRONT VIEW

Avondale Backed Bench

1/2"=1'-0"



STAMPED CONCRETE ----

6x6x10 STEEL MESH CENTER IN SLAB ---

COMPACTED SUBGRADE -

Specialty Pavement

REFERENCE IMAGE

-EXPANSION JOINT @ 30' MAX


PREFORMED, NON-EXTRUDING

TYPE JOINT FILLER THROUGH


—CRUSHED STONE AASHTO #57


FULL DEPTH OF SLAB






Trash Receptacle








Stone Retaining Wall







L4.0 JOB # 16025

TOPOGRAPHIC SURVEY: 4/08/16

■ PRELIMINARY: 4/20/16

FINAL SUBMITTAL: 6/28/16

CLIENT APPROVAL:

BUDGET PRICING :


PERMIT REVIEW:

BIDDING:
CONSTRUCTION:

REVISIONS:

 $|\mathcal{O}|$ 

POD



-3" DEEP HARDWOOD BARK MULCH CIRCULAR SACKER OR MULCH BED -SET ELEVATION AT TOP OF BALL SLIGHTLY HIGHER THAN FINISHED GRADE -PLANTING MIXTURE AS SPECIFIED -LOOSEN CIRCLING ROOTS AND SPREAD THEM OUT BEFORE PLANTING TO AVOID GIRDLING

Shrub-Perennial-Ornamental Grass-Groundcover Triangular Spacing

—DO NOT STAKE OR WRAP TRUNK. MARK THE NORTH SIDE OF THE TRUNK IN THE NURSERY AND LOCATE TO THE NORTH IN THE FIELD. DO NOT CUT MAIN LEADER AND DO NOT — PRUNE TREE AT PLANTING EXCEPT FOR SPECIFIC STRUCTURAL CORRECTIONS -remove string, rope, twine and WRAP FROM ROOTBALL. REMOVE TRUNK FLARE SHALL REMAIN ABOVE GROUND,— WIRE BASKET TO A MIN. DEPTH OF 18". MIN. 1" ABOVE ADJACENT GRADE LOOSEN BURLAP AROUND TREE TRUNK AND FOLD AWAY FROM TOP OF ROOTBALL. MULCH 2" DEEP, KEEP TREE TRUNK CLEAR — -DEPTH OF PLANT PIT TO BE 1"-2" LESS THAN HEIGHT OF ROOTBALL CONSTRUCT 6" HIGH IRRIGATION —— RING CIRCLING EDGE OF TREE PIT PREPARED SOIL FOR TREES, SEE SPECS -PLANTING PIT TO HAVE BROADLY SLOPING 4"-6" DEEPER THAN ROOT BALL SIDES, SCARIFIED TO PREVENT WATER CONTAINMENT

SPACING A B C D A= SPACING

36" 18" 31" 36" 48" 21" 41" 48"

12" 6" 10" 12" B= SP/2

18" 8" 15" 18" C= SP/1.2

24" 10" 20" 24" D= SPACING

**Evergreen Planting** 


PLANT LOCATION —

EDGE OF WALK OR PLANTING BED —

THE AMOUNT OF PRUNING SHALL BE LIMITED TO 1/3 OF THE BRANCHES TO COMPENSATE FOR LOSS OF ROOTS FROM TRANSPLANTING. REMOVE DEAD AND INJURED LIMBS. REMOVE BURLAP AND WIRE OR TWINE FROM TOP AND SIDES OF BALL. CENTER SHRUB IN HOLE. SET TOP OF BALL 1-3" ABOVE FINISH GRADE.

1. DO NOT PRUNE SHRUBS DURING INSTALLATION

2. MEASURE ROOTBALL AND SET 1" HIGHER ON HARD PEDESTAL, DO NOT DISTURB AREA UNDERNEATH ROOTBALL



—COMPACTED EXISTING SOIL UNDER ROOTBALL TO PREVENT SETTLEMENT

POD

TOPOGRAPHIC SURVEY: 4/08/16 ■ PRELIMINARY: 4/20/16 FINAL SUBMITTAL: 6/28/16 CLIENT APPROVAL: BUDGET PRICING :

BIDDING:
CONSTRUCTION: REVISIONS:

■ PERMIT REVIEW:

JOB # 16025

-SCARIFY 4" DEEP AND RECOMPACT

Perennial Planting





(614) 291-7799

transformgc.com

### PROPOSED MATERIAL SELECTIONS

### Project:

W. Olentangy St. Project 178 W. Olentangy St. Powell, OH 43065

**Project Manager:** 

Sean Beam

## **EXTERIOR SIDING/TRIM**

## White vertical siding and trim Horizontal siding in Pearl Gray






Charcoal





# STANDING SEAM AWNINGS Galvanized






**EXTERIOR STONE** 

Limestone: Sondrio





### **PATIO SURFACE**

Stamped Concrete for restaurant patio



LIGHTING Arm Style on Left Galvanized Finish color on Right



The Wesco Gooseneck Light



The Wesco Gooseneck Light





Gooseneck LED Barn Wall Light, Black, 8"